

# Contents

<b>1. Introduction</b>	<b>11</b>
1.1. Research Fields . . . . .	14
1.2. Solution Methods . . . . .	17
1.3. Vibration Control . . . . .	21
1.4. Vibrating Structures . . . . .	22
1.4.1. Structures under Moving Loads . . . . .	23
1.4.2. Shafts . . . . .	24
1.4.3. Control of Sandwich Structures . . . . .	24
<b>Bibliography</b>	<b>27</b>
<b>2. Smart Materials in Vibrations Damping</b>	<b>29</b>
2.1. Magnetorheological Fluids . . . . .	31
2.1.1. Magnetorheological Devices and Applications . . . . .	35
2.1.2. Linear Stroke Damper . . . . .	39
2.1.3. Rotary Damper . . . . .	45
2.1.4. Designing Linear Stroke Magnetorheological Dampers . . . . .	49
2.1.5. Designing Rotary Magnetorheological Devices . . . . .	59
2.2. Magnetorheological Elastomers . . . . .	60
2.2.1. Beam with Magnetorheological Elastomer . . . . .	64
2.3. Granular Materials . . . . .	68
2.3.1. Granular Structure Subjected to Underpressure . . . . .	69
2.3.2. Beam with Smart Granular Structure . . . . .	73
<b>Bibliography</b>	<b>81</b>
<b>3. Controlled Structures</b>	<b>87</b>
3.1. The Beam Span under the Inertial Moving Load . . . . .	90
3.1.1. Mathematical Model . . . . .	96
3.1.2. Semi-analytical Solution . . . . .	100
3.1.3. Numerical Description of the Problem . . . . .	104

3.2.	The Shaft under the Harmonic Excitation . . . . .	111
3.2.1.	Mathematical Model . . . . .	113
3.2.2.	Analytical Solution . . . . .	114
3.2.3.	Semi-analytical Solution and Numerical Model . . . . .	117
3.3.	Vibrations of the Sandwich Beam Induced by the Initial Con- ditions . . . . .	119
3.3.1.	Mathematical Model . . . . .	120
3.3.2.	Analytical Solution . . . . .	124
3.4.	The Structure Based on the Granular Material . . . . .	127
3.4.1.	Mathematical Model . . . . .	128
3.4.2.	Analytical Solution . . . . .	130
<b>Bibliography</b>		<b>133</b>
<b>4.</b>	<b>Optimal Control for Vibrating Mechanical Systems</b>	<b>139</b>
4.1.	State of the Art . . . . .	140
4.2.	Finite Horizon Optimal Control Problem . . . . .	144
4.2.1.	First Order Necessary Optimality Condition . . . . .	145
4.2.2.	Solution Methods . . . . .	148
4.3.	Optimal Control Problem for Switched Systems . . . . .	150
4.4.	Distributed Optimal Control via Nash Games . . . . .	152
4.5.	Receding Horizon Control Scheme . . . . .	156
4.6.	Optimal Control Problem for Semi-Active Systems . . . . .	157
4.6.1.	Necessary Optimality Condition . . . . .	159
4.6.2.	Prediction of Switches in Optimal Controls . . . . .	160
4.6.3.	Numerical Example: Optimal Semi-Active Controlled Oscillator (Gradient Based Method) . . . . .	162
4.6.4.	The Method of Parameterized Switching Times . . . . .	166
4.6.5.	Numerical Example: Optimal Semi-Active Controlled Oscillator (Method of Switching Times) . . . . .	170
<b>Bibliography</b>		<b>177</b>
<b>5.</b>	<b>Engineering Problems</b>	<b>181</b>
5.1.	Semi-active Control of Beam Subjected to a Moving Load . . . . .	182
5.1.1.	Passive Cases . . . . .	185
5.1.2.	Optimal Case (Gradient Based Method) . . . . .	185
5.1.3.	Optimal Case (Switching Times Method) . . . . .	187
5.2.	Beam Under the Moving Mass . . . . .	192
5.2.1.	Experimental results . . . . .	198

---

5.2.2. Conclusions . . . . .	202
5.3. Rotating Shaft . . . . .	205
5.3.1. Optimal Control Problem for the Vibrations . . . . .	205
5.3.2. Experiment . . . . .	209
5.4. Sandwich Beam with Magnetic Elastomer . . . . .	216
5.4.1. Experimental Verification . . . . .	220
5.4.2. Conclusions . . . . .	223
5.5. Granular Material . . . . .	224
5.5.1. Identification of the Parameters . . . . .	224
5.5.2. Adaptive Control Strategy . . . . .	227
5.5.3. Experimental Study . . . . .	230
5.5.4. Conclusions . . . . .	233
<b>Bibliography</b>	<b>235</b>
<b>6. Conclusions and Perspectives</b>	<b>237</b>
6.1. Perspectives . . . . .	238
6.2. Recommendations . . . . .	240